


Appl. No. 10/518,210
Atty. Docket No. H-32531A

LISTING OF CLAIMS

This listing of claims replaces all prior versions and listings of claims in the application.

Claim 1. (Previously presented) A compound of formula I



wherein

Ar signifies aryl or heteraryl, which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy, halo-C₁-C₆-alkoxy, C₂-C₆-alkenyl, halo-C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkyloxy, C₃-C₆-cycloalkylamino, C₃-C₆-cycloalkylthio, C₂-C₆-alkenyloxy, halo-C₂-C₆-alkenyloxy, C₁-C₆-alkylthio, halo-C₁-C₆-alkylthio, C₁-C₆-alkylsulfonyloxy, halo-C₁-C₆-alkylsulfonyloxy, C₁-C₆-alkylsulfinyl, halo-C₁-C₆-alkylsulfinyl, C₁-C₆-alkylsulfonyl, halo-C₁-C₆-alkylsulfonyl, C₂-C₆-alkenylthio, halo-C₂-C₆-alkenylthio, C₂-C₆-alkenylsulfinyl, halo-C₂-C₆-alkenylsulfinyl, C₂-C₆-alkenylsulfonyl, halo-C₂-C₆-alkenylsulfonyl, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylsulfonylamino, halo-C₁-C₆-alkylsulfonylamino, C₁-C₆-alkylcarbonyl, halo-C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, phenylamino which is unsubstituted or substituted once or many times, arylsulfonyl which is unsubstituted or substituted once or many times, phenylcarbonyl which is unsubstituted or substituted once or many times, phenylmethoximino which is unsubstituted or substituted once or many times; phenylhydroxymethyl which is unsubstituted or substituted once or many times, 1-phenyl-1-hydroxyethyl which is unsubstituted or substituted once or many times, phenylchloromethyl which is unsubstituted or substituted once or many times, phenylcyanomethyl which is unsubstituted or substituted once or many times, phenyl which is unsubstituted or substituted once or many times, phenoxy which is unsubstituted or substituted once or many times, phenylacetylenyl which is unsubstituted or substituted once or many times and pyridyloxy which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy, halo-C₁-C₆-alkoxy, C₁-C₆-alkylthio, halo-C₁-C₆-alkylthio, C₁-C₆-alkylsulfinyl, halo-C₁-C₆-alkylsulfinyl, C₁-C₆-alkylsulfonyl, halo-C₁-C₆-alkylsulfonyl, C₁-C₆-alkylamino and di-C₁-C₆-alkylamino;

Appln. No. 10/518,210
Atty. Docket No. H-32531A

R₁ signifies hydrogen, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, allyl or C₁-C₆-alkoxymethyl;

R₂, R₃, R₄, R₅ and R₆ are either, independently of one another, hydrogen, halogen, C₁-C₆-alkyl which is unsubstituted or substituted once or many times, C₂-C₆-alkenyl which is unsubstituted or substituted once or many times, C₂-C₆-alkinyl which is unsubstituted or substituted once or many times, C₁-C₆-alkoxy which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of halogen, C₁-C₆-alkoxy and halo-C₁-C₆-alkoxy; C₃-C₆-cycloalkyl which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen and C₁-C₆-alkyl; or phenyl which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy, halo-C₁-C₆-alkoxy, C₁-C₆-alkylthio, halo-C₁-C₆-alkylthio, C₁-C₆-alkylsulfinyl, halo-C₁-C₆-alkylsulfinyl, C₁-C₆-alkylsulfonyl, halo-C₁-C₆-alkylsulfonyl, C₁-C₆-alkylamino or di-C₁-C₆-alkylamino;

or R₂ and R₃ together signify C₂-C₆-alkylene;

R₇ signifies hydrogen or C₁-C₆-alkyl;

either R₈ signifies phenylcarbonyl which is unsubstituted or substituted once or many times, phenoxy carbonyl which is unsubstituted or substituted once or many times, benzyloxycarbonyl which is unsubstituted or substituted once or many times, phenyl-C₁-C₆-alkyl which is unsubstituted or substituted once or many times, phenoxy-C₁-C₆-alkyl which is unsubstituted or substituted once or many times, phenyl-C₁-C₆-alkoxy which is unsubstituted or substituted once or many times, heteroalkoxy carbonyl which is unsubstituted or substituted once or many times, C₁-C₆-alkylcarboxy; phenylcarboxy which is unsubstituted or substituted once or many times, benzylcarboxy which is unsubstituted or substituted once or many times, phenylcarboxamido which is unsubstituted or substituted once or many times, C₁-C₆-alkylcarboxamido, C₁-C₆-alkyloxycarboxamido, phenyloxycarboxamido which is unsubstituted or substituted once or many times, phenylaminocarboxy which is unsubstituted or substituted once or many times, phenyloxycarboxy which is unsubstituted or substituted once or many times, phenylaminocarboxamido which is unsubstituted or substituted once or many times, C₁-C₆-alkyloxy-C₁-C₆-alkyloxy, hydroxy-C₁-C₆-alkyl, C₁-C₆-alkyloxy-C₁-C₆-alkyl, C₁-C₆-alkylaminocarbonyl, (C₁-C₆-alkyl)₂aminocarbonyl; phenylaminocarbonyl which is unsubstituted or substituted once or many times, C₁-C₆-alkylthio-C₁-C₆-alkyl; phenylthio-C₁-C₆-alkyl which is unsubstituted or substituted once or many times, phenylmethoximino which is unsubstituted or substituted once or many times, phenylhydroxymethyl which is unsubstituted or substituted once or many times, 1-phenyl-1-hydroxyethyl which is unsubstituted or substituted once or many times, phenylchloromethyl which is unsubstituted or substituted once or many times, or

Appln. No. 10/518,210
Atty. Docket No. H-32531A

phenylcyanomethyl which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of R₉; and R₈ signifies hydrogen;

or R₈ and R₈ together signify C₁-C₄-alkylene which is unsubstituted or substituted once or many times by C₁-C₄-alkyl, whereby one or two carbon atoms may be replaced by oxygen;

R₉ signifies halogen, nitro, cyano, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy, halo-C₁-C₆-alkoxy, C₂-C₆-alkenyl, halo-C₂-C₆-alkenyl, C₂-C₆-alkinyl, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkyloxy, C₃-C₆-cycloalkylamino, C₃-C₆-cycloalkylthio, C₂-C₆-alkenyloxy, halo-C₂-C₆-alkenyloxy, C₁-C₆-alkylthio, halo-C₁-C₆-alkylthio, C₁-C₆-alkylsulfonyloxy, halo-C₁-C₆-alkylsulfonyloxy, C₁-C₆-alkylsulfinyl, halo-C₁-C₆-alkylsulfinyl, C₁-C₆-alkylsulfonyl, halo-C₁-C₆-alkylsulfonyl, C₂-C₆-alkenylthio, halo-C₂-C₆-alkenylthio, C₂-C₆-alkenylsulfinyl, halo-C₂-C₆-alkenylsulfinyl, C₂-C₆-alkenylsulfonyl, halo-C₂-C₆-alkenylsulfonyl, C₁-C₆-alkylamino, di-C₁-C₆-alkylamino, C₁-C₆-alkylsulfonylamino, halo-C₁-C₆-alkylsulfonylamino, C₁-C₆-alkylcarbonyl, halo-C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl, C₁-C₆-alkylaminocarbonyl, di-C₁-C₆-alkylaminocarbonyl, phenylamino which is unsubstituted or substituted once or many times, phenylcarbonyl which is unsubstituted or substituted once or many times, phenylmethoximino which is unsubstituted or substituted once or many times; phenylhydroxymethyl which is unsubstituted or substituted once or many times, 1-phenyl-1-hydroxyethyl which is unsubstituted or substituted once or many times, phenylchloromethyl which is unsubstituted or substituted once or many times, phenylcyanomethyl which is unsubstituted or substituted once or many times, phenyl which is unsubstituted or substituted once or many times, phenoxy which is unsubstituted or substituted once or many times, phenylthio which is unsubstituted or substituted once or many times, phenylacetylenyl which is unsubstituted or substituted once or many times, or pyridyloxy which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy, halo-C₁-C₆-alkoxy, C₁-C₆-alkylthio, halo-C₁-C₆-alkylthio, C₁-C₆-alkylsulfinyl, halo-C₁-C₆-alkylsulfinyl, C₁-C₆-alkylsulfonyl and halo-C₁-C₆-alkylsulfonyl;

W signifies O, S, S(O₂) or N(R₇)

a signifies 1, 2, 3 or 4;

b signifies 0, 1, 2, 3 or 4; and

n is 0, 1, 2 or 3.

Claim 2. (Original) A compound of formula I according to claim 1, wherein Ar signifies aryl or hetaryl which are unsubstituted or substituted once or many times, whereby the substituents, independently of one another, are selected from the group consisting of halogen, nitro, cyano, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy, halo-C₁-C₆-alkoxy, C₂-C₆-alkenyl, halo-C₂-C₆-alkenyl,

Appin. No. 10/518,210
Atty. Docket No. H-32531A

C₂-C₆-alkynyl, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkyloxy, C₂-C₆-alkenyloxy, halo-C₂-C₆-alkenyloxy, C₁-C₆-alkylcarbonyl, halo-C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl; phenylamino which is unsubstituted or substituted once or many times, phenylcarbonyl which is unsubstituted or substituted once or many times, phenyl which is unsubstituted or substituted once or many times, phenoxy which is unsubstituted or substituted once or many times, and pyridyloxy which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy and halo-C₁-C₆-alkoxy.

Claim 3. (Original) A compound of formula I according to claim 1, wherein Ar signifies aryl which is unsubstituted or substituted once or many times, whereby the substituents are independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₄-alkyl, halo-C₁-C₄-alkyl, C₁-C₄-alkoxy, halo-C₁-C₄-alkoxy, C₃-C₅-cycloalkyl, C₃-C₅-cycloalkyloxy, C₁-C₄-alkylcarbonyl, halo-C₁-C₄-alkylcarbonyl, C₁-C₄-alkoxycarbonyl; phenylcarbonyl which is unsubstituted or substituted once or many times, phenyl which is unsubstituted or substituted once or many times, and phenoxy which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₄-alkyl, halo-C₁-C₄-alkyl, C₁-C₄-alkoxy and halo-C₁-C₄-alkoxy.

Claim 4. (Original) A compound of formula I according to claim 1, wherein Ar signifies phenyl that is either unsubstituted or substituted once or many times, whereby the substituents are independent of one another and are selected from the group consisting of halogen, C₁-C₂-alkyl, halo-C₁-C₂-alkyl, C₁-C₂-alkoxy, halo-C₁-C₂-alkoxy; and phenylcarbonyl which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₂-alkyl, halo-C₁-C₂-alkyl, C₁-C₂-alkoxy, halo-C₁-C₂-alkoxy.

Claim 5. (Original) A compound of formula I according to claim 1, wherein R₁ is hydrogen, C₁-C₄-alkyl or halo-C₁-C₄-alkyl.

Claim 6. (Original) A compound of formula I according to claim 1, wherein R₁ is hydrogen or C₁-C₂-alkyl.

Claim 7. (Original) A compound of formula I according to claim 1, wherein R₁ is hydrogen.

Claim 8. (Currently amended) A compound of formula I of formula I, wherein R₂, R₃, R₄, R₅ and R₆ are, independently of one another, hydrogen, halogen, C₁-C₄-alkyl which is unsubstituted or substituted once or many times, C₁-C₄-alkoxy which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, C₁-C₄-alkoxy and halo-C₁-C₄-alkoxy halo-C₄-C₄-alkoxy; C₃-C₅-cycloalkyl which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of

Appln. No. 10/518,210
Atty. Docket No. H-32531A

halogen and C₁-C₄-alkyl; or phenyl which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₄-alkyl, halo-C₁-C₄-alkyl, C₁-C₄-alkoxy and halo-C₁-C₄-alkoxy.

Claim 9. (Original) A compound of formula I according to claim 1, wherein R₂, R₃, R₄, R₅ and R₆, independently of one another, signify hydrogen, halogen, C₁-C₂-alkyl which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, C₁-C₂-alkoxy and halo-C₁-C₂-alkoxy; or phenyl which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₂-alkyl, halo-C₁-C₂-alkyl, C₁-C₂-alkoxy and halo-C₁-C₂-alkoxy.

Claim 10. (Original) A compound of formula I according to claim 1, wherein R₂, R₃, R₄, R₅ and R₆, independently of one another, signify hydrogen; or C₁-C₂-alkyl, which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of halogen, C₁-C₂-alkoxy and halo-C₁-C₂-alkoxy.

Claim 11. (Original) A compound of formula I according to claim 1, wherein R₇ is hydrogen or C₁-C₄-alkyl.

Claim 12. (Original) A compound of formula I according to claim 1, wherein R₇ is hydrogen.

Claim 13. (Original) A compound of formula I according to claim 1, wherein either R₈ signifies C₁-C₆-alkylcarboxy, C₁-C₆-alkyloxy-C₁-C₆-alkyloxy, hydroxy-C₁-C₆-alkyl, C₁-C₆-alkyloxy-C₁-C₆-alkyl, C₁-C₆-alkylthio-C₁-C₆-alkyl, phenyl-C₁-C₆-alkyl which is unsubstituted or substituted once or many times, or phenyl-C₁-C₆-alkoxy which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of R₉; and R₈ signifies hydrogen;

or R₈ and R₈ together signify C₁-C₄-alkylene which is unsubstituted or substituted once or many times by C₁-C₂-alkyl, whereby one or two carbon atoms may be replaced by oxygen.

Claim 14. (Original) A compound of formula I according to claim 1, wherein either R₈ signifies C₁-C₄-alkylcarboxy, C₁-C₄-alkyloxy-C₁-C₄-alkyloxy, hydroxy-C₁-C₄-alkyl, C₁-C₄-alkyloxy-C₁-C₄-alkyl; phenyl-C₁-C₄-alkyl which is unsubstituted or substituted once or many times, or phenyl-C₁-C₄-alkoxy which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of R₉; and R₈ signifies hydrogen;

or R₈ and R₈ together signify C₁-C₃-alkylene which is unsubstituted or substituted once or many times by methyl, whereby one or two carbon atoms may be replaced by oxygen.

Appin. No. 10/518,210
Atty. Docket No. H-32531A

Claim 15. (Original) A compound of formula I according to claim 1, wherein either R₈ signifies C₁-C₂-alkyloxy-C₁-C₂-alkyloxy, C₁-C₂-alkyloxy-C₁-C₂-alkyl; phenyl-C₁-C₂-alkyl which is unsubstituted or substituted once or many times, or phenyl-C₁-C₂-alkoxy which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of R₉; and R₈ signifies hydrogen.

Claim 16. (Original) A compound of formula I according to claim 1, wherein R₉ signifies halogen, nitro, cyano, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy, halo-C₁-C₆-alkoxy, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkyloxy, C₁-C₆-alkylcarbonyl, halo-C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl; phenylamino which is unsubstituted or substituted once or many times, phenylcarbonyl which is unsubstituted or substituted once or many times, phenyl which is unsubstituted or substituted once or many times, phenoxy which is unsubstituted or substituted once or many times, or pyridyloxy which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy and halo-C₁-C₆-alkoxy.

Claim 17. (Original) A compound of formula I according to claim 1, wherein R₉ signifies halogen, nitro, cyano, C₁-C₄-alkyl, halo-C₁-C₄-alkyl, C₁-C₄-alkoxy, halo-C₁-C₄-alkoxy, C₃-C₅-cycloalkyl, C₃-C₅-cycloalkyloxy, C₁-C₄-alkylcarbonyl, halo-C₁-C₄-alkylcarbonyl or C₁-C₄-alkoxycarbonyl.

Claim 18. (Original) A compound of formula I, according to claim 1, wherein R₉ signifies halogen, cyano, nitro, C₁-C₂-alkyl, halo-C₁-C₂-alkyl, C₁-C₂-alkoxy or halo-C₁-C₂-alkoxy.

Claim 19. (Original) A compound of formula I, according to claim 1, wherein W is O or S.

Claim 20. (Original) A compound of formula I according to claim 1, wherein W is O.

Claim 21. (Original) A compound of formula I according to claim 1, wherein a is 1, 2 or 3.

Claim 22. (Original) A compound of formula I according to claim 1, wherein a is 1 or 2.

Claim 23. (Original) A compound of formula I according to claim 1, wherein a is 1.

Claim 24. (Original) A compound of formula I according to claim 1, wherein b is 0, 1, 2 or 3.

Claim 25. (Original) A compound of formula I according to claim 1, wherein b is 0, 1 or 2.

Claim 26. (Original) A compound of formula I according to claim 1, wherein b is 0.

Claim 27. (Original) A compound of formula I according to claim 1, wherein n is 0 or 1.

Claim 28. (Original) A compound of formula I according to claim 1, wherein n is 0.

Claim 29. (Original) A compound of formula I according to claim 1, wherein Ar signifies aryl or hetaryl which are unsubstituted or substituted once or many times, whereby the substituents, independently of one another, are selected from the group consisting of halogen, nitro, cyano, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy, halo-C₁-C₆-alkoxy, C₂-C₆-alkenyl, halo-C₂-C₆-alkenyl,

Appl. No. 10/518,210
Atty. Docket No. H-32531A

C₂-C₆-alkynyl, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkyloxy, C₂-C₆-alkenyloxy, halo-C₂-C₆-alkenyloxy, C₁-C₆-alkylcarbonyl, halo-C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl; phenylamino which is unsubstituted or substituted once or many times, phenylcarbonyl which is unsubstituted or substituted once or many times, phenyl which is unsubstituted or substituted once or many times, phenoxy which is unsubstituted or substituted once or many times, and pyridyloxy which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy and halo-C₁-C₆-alkoxy;

R₁ signifies hydrogen, C₁-C₄-alkyl or halo-C₁-C₄-alkyl;

R₂, R₃, R₄, R₅ and R₆, independently of one another, signify hydrogen, halogen, C₁-C₄-alkyl which is unsubstituted or substituted once or many times, C₁-C₄-alkoxy which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, C₁-C₄-alkoxy and halo-C₁-C₄-alkoxy; C₃-C₅-cycloalkyl which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen and C₁-C₄-alkyl; or phenyl which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₄-alkyl, halo-C₁-C₄-alkyl, C₁-C₄-alkoxy and halo-C₁-C₄-alkoxy;

R₇ signifies hydrogen or C₁-C₄-alkyl;

either R₈ signifies C₁-C₆-alkylcarboxy, C₁-C₆-alkyloxy-C₁-C₆-alkyloxy, hydroxy-C₁-C₆-alkyl, C₁-C₆-alkyloxy-C₁-C₆-alkyl, C₁-C₆-alkylthio-C₁-C₆-alkyl, phenyl-C₁-C₆-alkyl which is unsubstituted or substituted once or many times, or phenyl-C₁-C₆-alkoxy which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of R₆; and R₈ signifies hydrogen;

or R₈ and R₈ together signify C₁-C₄-alkylene which is unsubstituted or substituted once or many times by C₁-C₂-alkyl, whereby one or two carbon atoms may be replaced by oxygen;

R₉ signifies halogen, nitro, cyano, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy, halo-C₁-C₆-alkoxy, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkyloxy, C₁-C₆-alkylcarbonyl, halo-C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl; phenylamino which is unsubstituted or substituted once or many times, phenylcarbonyl which is unsubstituted or substituted once or many times, phenyl which is unsubstituted or substituted once or many times, phenoxy which is unsubstituted or substituted once or many times, or pyridyloxy which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₆-alkoxy and halo-C₁-C₆-alkoxy;

Appln. No. 10/518,210
Atty. Docket No. H-32531A

W is O or S;

a signifies 1, 2 or 3;

b signifies 0, 1, 2 or 3; and

n is 0 or 1.

Claim 30. (Currently amended) A compound of formula I according to claim 1, wherein Ar signifies aryl which is unsubstituted or substituted once or many times, whereby the substituents are independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₄-alkyl, halo-C₁-C₄-alkyl, C₁-C₄-alkoxy, halo-C₁-C₄-alkoxy, C₃-C₅-cycloalkyl, C₃-C₅-cycloalkyloxy, C₁-C₄-alkylcarbonyl, halo-C₁-C₄-alkylcarbonyl, C₁-C₄-alkoxycarbonyl, phenylcarbonyl which is unsubstituted or substituted once or many times, phenyl which is unsubstituted or substituted once or many times, and phenoxy which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₄-alkyl, halo-C₁-C₄-alkyl, C₁-C₄-alkoxy and halo-C₁-C₄-alkoxy;

R₁ signifies hydrogen or C₁-C₂-alkyl;

R₂, R₃, R₄, R₅ and R₆, independently of one another, signify hydrogen, halogen, C₁-C₂-alkyl which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, C₁-C₂-alkoxy and halo-C₁-C₂-alkoxy; or phenyl which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₂-alkyl, halo-C₁-C₂-alkyl, C₁-C₂-alkoxy and halo-C₁-C₂-alkoxy;

R₇ signifies hydrogen;

either R₈ signifies C₁-C₄-alkylcarboxy, C₁-C₄-alkyloxy-C₁-C₄-alkyloxy, hydroxy-C₁-C₄-alkyl, C₁-C₄-alkyloxy-C₁-C₄-alkyl; phenyl-C₁-C₄-alkyl which is unsubstituted or substituted once or many times, or phenyl-C₁-C₄-alkoxy which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of R₉; and R₈ signifies hydrogen;

or R₈ and R₈ together signify C₁-C₃-alkylene which is unsubstituted or substituted once or many times by methyl, whereby one or two carbon atoms may be replaced by oxygen;

R₉ signifies halogen, nitro, cyano, C₁-C₄-alkyl, halo-C₁-C₄-alkyl, C₁-C₄-alkoxy, halo-C₁-C₄-alkoxy, C₃-C₅-cycloalkyl, C₃-C₅-cycloalkyloxy, C₁-C₄-alkylcarbonyl, halo-C₁-C₄-alkylcarbonyl or C₁-C₄-alkoxycarbonyl;

W signifies O;

Appln. No. 10/518,210
Atty. Docket No. H-32531A

a signifies 1 or 2;

b signifies 0, 1 or 2; and

n is 0.

Claim 31. (Original) A compound of formula I according to claim 1, wherein Ar signifies phenyl that is either unsubstituted or substituted once or many times, whereby the substituents are independent of one another and are selected from the group consisting of halogen, C₁-C₂-alkyl, halo-C₁-C₂-alkyl, C₁-C₂-alkoxy, halo-C₁-C₂-alkoxy; and phenylcarbonyl which is unsubstituted or substituted once or many times, whereby the substituents may be independent of one another and are selected from the group consisting of halogen, nitro, cyano, C₁-C₂-alkyl, halo-C₁-C₂-alkyl, C₁-C₂-alkoxy and halo-C₁-C₂-alkoxy;

R₁ signifies hydrogen;

R₂, R₃, R₄, R₅ and R₆, independently of one another, hydrogen or C₁-C₂-alkyl, which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of halogen, C₁-C₂-alkoxy and halo-C₁-C₂-alkoxy;

R₇ signifies hydrogen;

R₈ signifies C₁-C₂-alkyloxy-C₁-C₂-alkyloxy, C₁-C₂-alkyloxy-C₁-C₂-alkyl; phenyl-C₁-C₂-alkyl which is unsubstituted or substituted once or many times, or phenyl-C₁-C₂-alkoxy which is unsubstituted or substituted once or many times, whereby the substituents may each be independent of one another and are selected from the group consisting of R₉;

R₉ signifies hydrogen;

R₉ signifies halogen, nitro, cyano, C₁-C₂-alkyl, halo-C₁-C₂-alkyl, C₁-C₂-alkoxy or halo-C₁-C₂-alkoxy;

W signifies O;

a signifies 1;


b signifies 0; and

n is 0.


Claim 32. (Original) A compound of formula I, according to claim 1, having the name N-[1-cyano-1-methyl-2-(2-benzyl-4-chlorophenoxy)-ethyl]-4-trifluoromethoxybenzamide.

Claim 33. (Currently amended) Process for the ~~preparation~~ preparation of compounds of formula I, respectively in free form or in salt form, according to claim 1, whereby a compound of formula II

Appl. No. 10/518,210
Atty. Docket No. H-32531A



which is known or may be produced analogously to corresponding known compounds, and wherein R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_8 , R_8' , R_9 , W , a , b and n are defined as given for formula I, is reacted with a compound of formula III



which is known or may be prepared analogously to corresponding known compounds, and wherein Ar is defined as given for formula I and Q is a leaving group, optionally in the presence of a basic catalyst, and if desired, a compound of formula I obtainable according to the method or in another way, respectively in free form or in salt form, is converted into another compound of formula I, a mixture of isomers obtainable according to the method is separated and the desired isomer isolated and/or a free compound of formula I obtainable according to the method is converted into a salt or a salt of a compound of formula I obtainable according to the method is converted into the free compound of formula I or into another salt.

Claim 34. (Cancelled)

Claim 35. (Currently amended) Composition for the control of endo- and ecto-parasites parasites, which contains as active ingredient at least one compound of formula I according to claim 1, in addition to carriers and/or dispersants.

Claim 36-39. (Cancelled)

Claim 40. (Currently amended) A method for controlling endo- and ecto-parasites parasites comprising applying to said parasites or its habitat a parasitocidal effective amount of at least one compound of formula I of Claim 1.

Claim 41. (Previously presented) The method of Claim 40 wherein said parasitocidal effective amount of said at least one compound of formula I of Claim 1 is administered to an animal host of said parasite.

Claim 42. (Previously presented) The method of Claim 41 whereby said at least one compound of formula I of Claim 1 is administered to said animal host topically, perorally, parenterally, or subcutaneously.

Claim 43. (Previously presented) The method of Claim 40 whereby said compound is in a formulation consisting of the group of pour-on, spot-on, tablet, chewie, powder, boli, capsules,

Appin. No. 10/518,210
Atty. Docket No. H-32531A

suspension, emulsion, solution, injectable, water-additive, and food-additive.

Claim 44. (Previously presented) The method of Claim 40 wherein said parasites are endo-parasites.

Claim 45. (Previously presented) The method of Claim 44 wherein said endo-parasites are helminthes.

Claim 46. (Currently amended) A method of treating an animal for parasites comprising administering to said animal in need of treatment thereof a parasitocidal effective amount of a composition for the control of endo- or ecto-parasites, wherein the composition of Claim 35 comprises at least one compound of formula I according to claim 1.

Claim 47. (Previously presented) The method of Claim 46 wherein said administration to said animal is topically, perorally, parenterally, or subcutaneously.

Claim 48. (Currently amended) The method of Claim 46 wherein said composition of Claim 35 is in a formulation consisting of the group of pour-on, spot-on, tablet, chewie, powder, boli, capsules, suspension, emulsion, solution, injectable, water-additive, and food-additive.

Claim 49. (Previously presented) The method of Claim 46 wherein said parasites are endo-parasites.

Claim 50. (Previously presented) The method of Claim 49 wherein said endo-parasites are helminthes.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.